A decorative vertical line on the left side of the page, consisting of a thin grey line with three circles of varying sizes. The top circle is the largest, the middle one is smaller, and the bottom one is the smallest. The line starts at the top circle, goes down, then curves to the right, then down again, then curves to the left, and finally ends at the bottom circle.

SDL Trados Studio 2015 SR2 Translation Memory Management

The logo for SDL Trados Studio 2015. It features the letters 'SDL' in a bold, green, sans-serif font. To the right of 'SDL' is a vertical line, followed by the words 'Trados' and 'Studio 2015' stacked vertically in a smaller, green, sans-serif font.

SDL | Trados Studio 2015 Quick Start Guide



SDL Trados Studio 2015 SR2
Translation Memory Management
Quick Start Guide

Copyright Information

Copyright © 2011-2016 SDL Group.

Nothing contained herein may be reproduced, copied, modified or adapted, without the prior written consent of SDL Group. SDL Group means SDL PLC. and its subsidiaries. All intellectual property rights contained herein are the sole and exclusive rights of SDL Group. All references to SDL or SDL Group shall mean SDL PLC. and/or its subsidiaries details of which can be obtained upon written request.

All rights reserved. Unless explicitly stated otherwise, all intellectual property rights including those in copyright in the content of this documentation are owned by or controlled for these purposes by SDL Group. Except as otherwise expressly permitted hereunder or in accordance with copyright legislation, the content of this site, and/or the documentation may not be copied, reproduced, republished, downloaded, posted, broadcast or transmitted in any way without the express written permission of SDL.

SDL Trados Studio, SDL Studio GroupShare, and SDL Passolo are registered trademarks of SDL Group. All other trademarks are the property of their respective owners. The names of other companies and products mentioned herein may be the trademarks of their respective owners. Unless stated to the contrary, no association with any other company or product is intended or should be inferred.

This product may include open source or similar third-party software, details of which can be found by clicking the **Acknowledgments** section.

Although SDL Group takes all reasonable measures to provide accurate and comprehensive information about the product, this information is provided as-is and all warranties, conditions or other terms concerning the documentation whether express or implied by statute, common law or otherwise (including those relating to satisfactory quality and fitness for purposes) are excluded to the extent permitted by law.

To the maximum extent permitted by law, SDL Group shall not be liable in contract, tort (including negligence or breach of statutory duty) or otherwise for any loss, injury, claim liability or damage of any kind or arising out of, or in connection with, the use or performance of the Software Documentation even if such losses and/or damages were foreseen, foreseeable or known, for: (a) loss of, damage to or corruption of data, (b) economic loss, (c) loss of actual or anticipated profits, (d) loss of business revenue, (e) loss of anticipated savings, (f) loss of business, (g) loss of opportunity, (h) loss of goodwill, or (i) any indirect, special, incidental or consequential loss or damage howsoever caused.

Information in this documentation, including any URL and other Internet Web site references, is subject to change without notice. Without limiting the rights under copyright, no part of this may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the express written permission of SDL Group.

Acknowledgments

SDL Trados Studio includes open source or similar third-party software:

- Sharpzplib and Spring.net distributed under GNU General Public License version 3 with restrictions
- Hunspell distributed under [GNU Lesser General Public License version 3](#)
- ICU distributed under IBM ICU License
- Log4Net distributed under [Apache License version 2.0](#)
- Wix distributed under Common Public License version 1.0
- SQLite which is public domain and requires no license for this distribution
- SafeNet Licensing Services distributed under license

This guide ships with SDL Trados Studio 2015 SR2.

March 2016

Contents

- 4 About this Quick Start Guide**
- 5 About the Translation Memories View**
- 6 A first look at the Translation Memory view in SDL Trados Studio
- 7 Creating and Maintaining Translation Memories**
- 7 How to create a file-based translation memory
- 12 Creating a translation memory from alignment results
- 12 Editing translation memory settings
- 16 Managing Translation Memory Data**
- 14 Opening a translation memory
- 17 A closer look at the TM side-by-side editor
- 18 Searching, editing and saving changes in the translation memory
- 19 Editing a translation unit
- 20 Filters and batch editing
- 24 About importing data into a translation memory

About this Quick Start Guide

Who is this guide for and what does it cover?

This guide is for project managers. It focuses on the project lifecycle, starting with creating a project and then managing that project through the use of packages.

NOTE For information about online workflows using SDL GroupShare Project Server, see to the videos and information in the [SDL Trados Studio Help](#).

How to use this guide

You can use the sample files to complete the exercises. Each exercise builds on the last so if you are using the sample files you need to follow through the instructions step-by-step.



This symbol indicates there are sample files available to complete the exercise and their location.

The paths specified are based on a Microsoft Windows 7 or Vista operating system. If you are using Windows XP, the same files can be found in the *My Documents* folder.



Tip

This symbol indicates that there is a tip providing additional information on the task you are performing.

NOTE This symbol indicates that there is an important piece of information you need to know for the task you are performing.

Keyboard Shortcuts

Any keys that you need to press on your keyboard are displayed in the following font: Ctrl+Enter.

Other information sources

Here are some other sources of information you can access:

- [SDL Trados Studio Help](#)
- [SDL GroupShare Help](#)
- [SDL GroupShare Installation Guide](#)
- [SDL Trados Studio Migration Guide](#)
- [Translating and Reviewing Documents Quick Start Guide](#)
- [Translation Memory Management Quick Start Guide](#)

About the Translation Memories View

Translation memories are created and maintained in the **Translation Memories** view in SDL Trados Studio. Depending on your level of access, you can perform the following tasks in the **Translation Memories** view:

- Create a translation memory
- Open a translation memory
- Edit and delete translation units in the translation memory
- Assign custom field values to translation units
- Search and filter the translation memory data
- Import content into a translation memory
- Export content from a translation memory
- Create language resource templates
- Upgrade translation memories from SDL Trados 2007 and SDLX 2007

A first look at the Translation Memory view in SDL Trados Studio

The **Translation Memories** view contains the following components:

- Navigation pane, where you can see the file-based and server-based translation memories that are currently open and navigate between them. You can also see language resource templates.
- Ribbon tabs and groups containing maintenance tools.
- TM side-by-side editor window, where you perform maintenance on your translation memories.
- **Search Details** window, where you create and apply filters to your translation memories.
- **Field Values** window, where you view and edit field values for the selected translation unit.

The screenshot shows the SDL Trados Studio interface with the Translation Memories view active. Red lines and labels point to specific components:

- Ribbon Tabs and Groups:** Points to the top ribbon with tabs like File, Home, View, Add-Ins, and Help.
- Search Details Window:** Points to the 'Search Details' window, which includes a 'TM Filter' dropdown, 'Filter Name' field, 'Source Text' and 'Target Text' input fields, 'Search Type' dropdown, and 'Perform Search' button.
- Navigation Pane:** Points to the left sidebar showing a tree view of Translation Memories, including 'English-German' and 'Language Resource Template'.
- TM Side-by-Side Editor:** Points to the central window displaying a list of translation units with source and target text. The list includes:

ID	Source Text	Target Text
1	Association for Road Safety Conference	Tagung der Gesellschaft für Verkehrssicherheit
2	Road Safety Education in our Schools	Verkehrserziehung an Schulen
3	Road Safety Education in our Secondary Schools	Verkehrserziehung in der Sekundarstufe
4	Road Safety Education in our Primary Schools	Verkehrserziehung in der Grundschule
5	This conference presents the new education programme unveiled by the Minister for Education last year.	Auf dieser Tagung wird das neue Erziehungsprogramm präsentiert, welches letztes Jahr vom Bildungsminister vorgestellt wurde.
6	Hurry, as places are limited!	Schnelle Anmeldung wird empfohlen, da die Teilnehmerzahl begrenzt ist.
7	To register, contact your local branch of the Road Safety Association.	Um sich anzumelden, wenden Sie sich bitte an die örtliche Vertretung der Gesellschaft für Verkehrssicherheit.
8	Education Programme Workflow	Ablauf des Erziehungsprogramms
9	Education programme for secondary school children	Erziehungsprogramm für Schüler in der Sekundarstufe
10	Younger school children	Grundschüler
- Field Values Window:** Points to the 'Field Values' window on the right, which shows 'Custom Fields' and 'System Fields' for the selected unit. The system fields include:

Field	Value
Created by	CAROL-ANN
Created on	1/18/2000 3:18:35 PM
Document structure	
Last modified by	STUTTGART\dbrock...
Last modified on	1/18/2000 3:18:35 PM
Last used by	GLOBAL\cadam
Last used on	6/4/2015 12:19:05 AM
Usage count	1

Creating and Maintaining Translation Memories


You can create both file-based (local) and server-based translation memories in the **Translation Memories** view. Assume you want to create a file-based English-German translation memory in this exercise.

NOTE For detailed information on server-based translation memories, refer to the [SDL Trados Studio Help](#) and the [SDL GroupShare Help](#).

How to create a file-based translation memory

To create your English-German file-based translation memory:

1. Click **Translation Memories** in the views navigation pane to display the **Translation Memories** view.
2. Press *Alt+Shift+N* or click **New** in the **Tasks** group on the **Home** tab. The **New Translation Memory** wizard is displayed on the **General** page.




3. Complete the **General** page:

- In the **Name** box, enter the name, *Sample EN-DE*.
- Check and if necessary, select *English (United States)* and *German (Germany)* from the **Source Language** and **Target Language** drop-down lists.
- Click **Next**.

 **Tip** You can also base the new translation memory on an existing translation memory by clicking the **Browse** button next to the **Create From** box. This can be useful when you want to copy the setup from the other translation memory (for example, custom fields and segmentation rules).

The **Fields and Settings** page is displayed. This page is used to create custom fields and values. These allow you to further describe the translation units (TU) that are stored in your translation memory.



New Translation Memory

Fields and Settings
Specify fields and settings for this translation memory.

Fields

Name	Type	Picklist	Allow Multiple Values

Buttons: Add, Remove

Recognize

Dates Acronyms Alphanumeric strings

Times Variables

Numbers Measurements

Count as one if words:

Are hyphenated


Are joined by dashes

Contain formatting tags

Buttons: Help, < Back, Next >, Finish, Cancel

4. Create a text field called *Project*. This will allow you to specify which project a translation unit is associated with.

- Place your cursor in the **Name** column and type *Project*.
- Hover over the **Type** field and an arrow is displayed. Click the arrow to display the drop-down list and select *Text*.



 **Tip** You can also create date, number and time fields.


- Select the **Allow Multiple Values** check box. This allows you to specify more than one project to which a translation unit can be associated.

The **Settings** at the bottom of the **Fields and Settings** page are used to identify elements that do not change during translation. When the recognition settings are enabled these items are identified as recognized tokens

You can display the QuickPlace drop-down list during translation, select recognized tokens from the current source segment and insert them into the target translation. This list is called QuickPlace because it allows you to quickly place elements from the source segment such as the formatting, acronyms, numbers, dates and other types of recognized tokens into the target.


5. Assume that you want all acronyms to be spelled out in the translation rather than transferred using QuickPlace. In this case you would clear the check box next to **Recognize acronyms** so that they are not recognized as recognized tokens during translation.
6. Set how the word count engine reports words that are separated by hyphens, dashes or formatting tags for your translation memory in the **Count as one if words** section.
7. Click **Next**.

The **Language Resources** page is displayed. This is where you can create or modify lists of language resources. These lists are used in conjunction with the segmentation rules in translation memory processing and to identify untranslatable content. The default language resource settings are automatically applied.



8. Assume this translation memory will be used for translating the content of the SDL website into German. Since you do not want the company name to be translated, enter SDL as a variable.

- Double-click on **Variable List** in the **Resources** section. The **Variables** dialog box is displayed. The default variable list does not contain any values.




- Double-click on the first line and type *SDL*.
- Click **OK** to close the dialog box.

NOTE If you based your new translation memory on an existing translation memory, the language resources in the selected translation memory are applied to the new translation memory

You can also select language resources templates that you created prior to creating this translation memory. For more information on language resources, see the [SDL Trados Studio Help](#).

9. Click **Finish** to create the translation memory. The **Creating** page is displayed.
10. When the status of the items on the **Creating** page changes to **Completed**, click **Close** to save the newly created translation memory.

The translation memory is saved with an .sdltm extension to the following default location:
...Documents\Studio 2015\Translation Memories



The translation memory is added to the navigation pane in the **Translation Memories** folder.

Creating a translation memory from alignment results

You can also create translation memories for importing the translation units generated after aligning the source and target files of an existing translation. For more information, see the **Aligning Existing Translated Files** chapter in the [SDL Trados Studio Help](#).


Editing translation memory settings

Assume you now want to edit the translation memory settings to create a field that specifies whether the translation unit is used in publications that you print or in online publications. You can edit the translation memory in the **Translation Memory Settings** dialog box.



Use the *Sample EN-DE* translation memory that you created in the last exercise.


1. To edit translation memory settings, the translation memory must be closed in the TM side-by-side editor. If your translation memory is still open for maintenance, click the **X** in the top right corner of the TM side-by-side editor to close the current maintenance session. The translation memory is closed in TM Side-by-side editor but remains on the navigation pane.



Click to close the current maintenance session.


- Right-click on the translation memory, *Sample EN-DE* in the navigation tree under **Translation Memories** and select **Settings** from the shortcut menu or click **Settings** in the **Tasks** group on the **Home** tab. This is the translation memory that you created in the last exercise.

The **Translation Memory Settings** dialog box is displayed.



3. Create a list field called Output Type.

- Select the **Fields and Settings** page.
- Place your cursor in the first empty field under the **Name** column and type *Output Type*.
- Hover over the **Type** field and an arrow is displayed. Click the arrow to display the drop-down list and select *List*.
- Hover over the **Picklist** field and an arrow is displayed. Click the arrow to display the box where you can add the two field values: *Print* and *Online*.



- Select the **Allow Multiple Values** check box. This allows you to choose both values if the translation unit is used in print and online.
- Click **OK** to apply the new settings.

NOTE

You can also specify settings on the following pages:

- *[TM Name]* - This is where you can view general details of the translation memory.
- **Language Resources** - This is where you can modify language resource lists in your translation memory. These lists are used in conjunction with the segmentation rules in translation memory processing and are also used to identify untranslatable content.
- **Access Rights** - This is where you can protect file-based translation memories by defining passwords that are linked to translation memory maintenance or user rights.
- **Performance and Tuning** - This is where you can use different tools to improve the performance of server-based translation memory searches. This does not apply to file-based translation memories.

Managing Translation Memory Data

Translation memory data is managed in the **Translation Memories** view. All translation memories that are currently available for editing appear in the navigation tree in the **Translation Memories** view.

Maintenance Options

Assume that you want to make the following changes to your translation memory to ensure that when the translation memory is used during translation, the translator receives quality matches.



...Documents\Studio 2015\Projects\Samples\SampleProject\TMs\English-German.sdltm

- Search for source segments that contain incorrect spellings and correct them.
- Save changes to edited translation units.
- Create filters to find all translations added by a particular user so that you can review the translations.
- Use batch editing to modify the spelling in more than one translation at the same time.
- Import translation units from previously translated bilingual documents so that you can use them in future translations of updated content.



You can also perform additional maintenance on a translation memory, for example, assigning or changing custom field values, exporting and importing filters, and exporting translation memory data.

The screenshot shows the SDL Trados Studio interface. The main window displays the 'Translation Mem...' view. On the left, a navigation tree shows 'Translation Memories' with a sub-entry for 'Sample EN-DE'. The main area shows a search filter for 'no filter' and a list of translation units. The list has 10 rows, each with a number, source text, and target text. The source text is in English and the target text is in German. The list is filtered to show only units where the source text contains the word 'education'.

Number	Source Text	Target Text
1	Association for Road Safety Conference	Tagung der Gesellschaft für Verkehrssicherheit
2	Road Safety Education in our Schools	Verkehrserziehung an Schulen
3	Road Safety Education in our Secondary Schools	Verkehrserziehung in der Sekundarstufe
4	Road Safety Education in our Primary Schools	Verkehrserziehung in der Grundschule
5	This conference presents the new education programme unveiled by the Minister for Education last year.	Auf dieser Tagung wird das neue Erziehungsprogramm präsentiert, welches letztes Jahr vom Bildungsminister vorgestellt wurde.
6	Hurry, as places are limited!	Schnelle Anmeldung wird empfohlen, da die Teilnehmerzahl begrenzt ist.
7	To register, contact your local branch of the Road Safety Association.	Um sich anzumelden, wenden Sie sich bitte an die örtliche Vertretung der Gesellschaft für Verkehrssicherheit.
8	Education Programme Workflow	Ablauf des Erziehungsprogramms
9	Education programme for secondary school children	Erziehungsprogramm für Schüler in der Sekundarstufe
10	Younger school children	Grundschüler

On the right side of the screenshot, there are two panels: 'Field Values' and 'System Fields'. The 'Field Values' panel is currently empty. The 'System Fields' panel shows a list of system fields with their values, including 'Created by', 'Created on', 'Document structure', 'Last modified by', 'Last modified on', 'Last used by', 'Last used on', and 'Usage count'.

Opening a translation memory

Assume you want to perform the maintenance options listed above on the sample translation memory. To do this, open the translation memory for maintenance in the TM side-by-side editor.

1. In the **Translation Memories** view, click **Open** in the **Tasks** group on the **Home** tab. The **Open File-based Translation Memory** dialog box is displayed.
2. Select the *English-German.sdltm* sample translation memory that is provided with SDL Trados Studio.



...Documents\Studio 2015\Projects\Samples\SampleProject\TMs\English-German.sdltm

If the translation memory is already in the navigation tree, double-click the translation memory or right-click the translation memory and select **Open** from the shortcut menu.

The translation memory is opened for editing in the TM side-by-side editor window and becomes the active translation memory. When you select a row, any system and custom field values that are assigned to that translation unit are displayed in the **Field Values** window.

English-German.sdltm is opened for maintenance.

The screenshot shows the SDL Trados Studio interface. The 'Translation Mem...' window is open, displaying a list of translation memories. 'Sample EN-DE' is selected and highlighted with a red box. A red arrow points from the text 'English-German.sdltm is opened for maintenance.' to this box. The 'Field Values' window is also open, showing system fields for the selected translation unit.

Field	Value
Created by	CAROL-ANN
Created on	1/18/2000 3:18:35 PM
Document structure	STUTTGART\vbrock...
Last modified by	1/19/2000 3:18:35 PM
Last used by	GLOBAL\academ
Last used on	6/4/2015 12:19:05 AM
Usage count	1

A closer look at the TM side-by-side editor

You can use the TM Side-by-Side Editor to display search results and edit translation units.

Columns

- The translation unit status column indicates the status of the translation unit. For example, if it is marked for deletion or has been edited. This is also indicated by the color in which the translation unit is highlighted.
- To the right of the target language segments is the document structure column. It displays a code that tells you where the segment text appeared in the source document from which it was extracted. For example, TC = table cell and H1 = header 1.
- The final column, custom field values, displays any field values assigned to the translation unit. This column is only displayed if there are custom field values assigned to the translation units.

Colors



This color indicates that the column is currently selected.



This color indicates that the translation unit has been modified and that changes to the translation unit are pending and have not yet been committed (saved).



This color indicates that the translation unit is marked for deletion and that this deletion has not yet been committed (saved).

TM Window Name Tab	Source Language Segments	Target Language Segments	Translation Unit Status Column	Document Structure Column
Sample EN- DE [en-US->de-DE]				
57	Finding a location for your photo printer	Aufstellungsort für Ihren Fotodrucker finden	H	
58	Place the photo printer on a flat, clean and dust-free surface, ► in a dry location ◀, and ► out of direct sunlight ◀.	Platzieren Sie den Fotodrucker auf einer flachen, sauberen und staubfreien Oberfläche, und stellen Sie ihn ► an einem trockenen Ort ◀ auf, der ► keinem direkten Sonnenlicht ausgesetzt ◀ ist.	LI	
59	Allow at least 12 cm clearance from the back of the photo printer for the paper to travel.	Auf der Rückseite des Fotodruckers sollte für problemlosen Papiertransport ein Abstand von mindestens 12 cm gelassen werden.	LI	
60	When connecting power or USB cables, keep the cables clear of the paper path to the front and rear of the photo printer.	Achten Sie beim Verbinden der Stromversorgung bzw. des USB-Kabels darauf, dass die Kabel den Papierpfad nicht behindern.	LI	
61	For proper ventilation, make sure the top and back of the photo printer are not blocked.	Sorgen Sie für problemlose Belüftung, indem Sie die obere bzw. Rückseite des Fotodruckers nicht blockieren.	LI	

Searching, editing and saving changes in the translation memory



...Documents\Studio 2015\Projects\Samples\SampleProject\TMs\English-German.sdltm

Searching the Translation Memory

Assume that you just imported translation units into this translation memory that were from an English (United Kingdom) – German (Germany) bilingual document. However, your translation memory is an English (United States) - German (Germany) translation memory.

You want the imported source text in this translation memory to use United States spelling. Search for the English spelling of *organisation* in the source text and change it to the United States spelling *organization*.


1. Search for *organisation*:

- Enter *organisation* in the **Source Text** box in the **Search Details** window.
- Clear the **Case sensitive** check box.
- Click **Perform Search**.

One translation unit has been found containing *organisation* and is displayed in the TM side-by-side editor.

Enter
organisation

Search results in
the TM side-by-
side editor



The screenshot shows the 'Search Details' window with the following fields and options:

- TM Filter: <no filter>
- Filter Name: <no filter>
- Source Text: **organisation** (highlighted with a red box)
- Target Text: (empty)
- Search Type: Search entire TM
- Perform Search button
- Case sensitive:
- Use wildcards (*):
- Use parentheses in this filter:

The TM side-by-side editor shows the following search results:

Sample EN- DE [en-US->de-DE]
24 Organisation Institution

Editing a translation unit

Now that you have located the United Kingdom spelling of the word *organisation*, change it to the United States spelling *organization*.

2. Click in the source segment and type or paste the United States spelling of *Organization*.

The color of the translation unit changes to dark yellow and the following icon is displayed in the translation unit status column. The icon indicates that the translation unit has pending changes that have not yet been saved.




You can also edit translation units in the following ways:

To	Do the following
Mark a translation unit for deletion,	Click  in the Save group on the Home tab.
Assign custom field values to the translation unit,	Use the Field Values window.

Saving pending changes

Once you have corrected the text in the translation unit, you next need to save your changes.

3. Click the  **Commit Changes** button in the **Save** group on the **Home** tab. The translation unit is now saved with the new spelling.



Filters and batch editing



...Documents\ Studio 2015\Projects\Samples\SampleProject\
TMs\English-German.sdltm

Creating and applying a filter

As well as being able to search the source and target text, you can also use filters in combination with the search feature or by themselves to find certain translation units. This filters out the translation units that do not match the conditions of the filter.

Assume you only want to view all translations modified by Carol-Ann to ensure the translations are correct.

NOTE If you still have search criteria in the **Source Text** box, delete it now.

1. In the **Search Details** window, click the **Add Filter** icon to add a filter.

Enter Filter Name

Click **Add** to add a new condition

2. Enter the name of the filter, *Carol*, in the **Filter Name** box. The new name is automatically displayed in the **TM Filter** box with an * asterisk next to it to indicate this filter is not saved.
3. Click **Add** to add a new condition to the filter and open the **Add Condition** dialog box.
4. Complete the dialog box with the settings below and click **OK** to add the condition.

5. Click the **Save** icon to save the filter. The filter is now saved with the translation memory.
6. Click **Perform Search**. The translation units that were last updated during translation by Carol-Ann are displayed.

Batch editing translation units


In Carol-Ann's translations that were displayed when you applied the filter in the last section, there are several words that use the old German spelling which contains the character ß. Assume you want to change those translations to the new spelling ss. To do this, batch edit a group of translations at the same time.

NOTE There are some German spellings that still contain this character ß. Assume for the purposes of this example though, that the new spelling applies to all German words containing ß.

14	Stress the role of parents in enforcing road safety awareness as part of home life.	Besondere Betonung findet die Rolle der Eltern, die das Bewußtsein über Verkehrss
16	Vehicle awareness	Fahrzeugbewußtsein

Words containing ß

- Right-click on the *English-German* translation memory in the navigation tree and select **Batch Edit** from the shortcut menu. The **Batch Edit** wizard is displayed on the **Batch Edit Script** page.




- Select the *Carol* filter from the **Filter** drop-down list. This will only apply the batch edit to translation units that were last modified by Carol-Ann during translation.

9. Click **Add** and select **Find and Replace Text** from the drop-down list.

 **Tip** You can also use Batch Edit to change field values assigned to translation units and to delete tags in a group of translation units.


10. The **Edit Action: Find and Replace Text** dialog box is displayed. Complete this dialog box with the following settings:

- **Find what:** ß (You can copy and paste this character into the box or press Alt + 0223 (on the numeric keypad)).
- **Replace with:** ss (Enter these as lowercase letters)
- If necessary, change the additional settings to match the dialog box below.



11. Click **OK** to add the edit action to the list in the **Actions** box.

12. Click **Finish**. The **Applying batch edit script** page is displayed.



Two translation units have been updated.

13. Click **Close** to close the wizard.

NOTE Changes made by a batch edit are automatically committed and cannot be canceled.

The words in translation unit 14 and translation unit 15 now have the new German spelling.

14	Stress the role of parents in enforcing road safety awareness as part of home life.	Besondere Betonung findet die Rolle der Eltern, die das Bewusstsein über Verkehrss
16	Vehicle awareness	Fahrzeugbewusstsein

ß has change to ss

About importing data into a translation memory

You can import translation units and their associated data into a translation memory. The translation units are always imported but the associated data that is imported varies depending on the file type from which it was extracted.

Supported import types include:

- Translation Memory Exchange Documents (*.tmx, *.tmz.gz)
- SDL XLIFF Bilingual Documents (*.sdlxliff)
- TRADOStag Documents (*.ttx)
- SDL Edit Documents (*.itd)
- Alignment Files (*.sdlalign)

NOTE For detailed information on how to upgrade your SDL Trados 2007 and SDLX 2007 translation memories, see the *SDL Trados Studio Migration Guide*.

Importing TMX Files

The following data can be imported from a TMX file:

- Translation units
- Custom fields and their values
- System fields

Importing bilingual files (*.sdlxliff, *.ttx,*.itd)

The following data can be imported from a bilingual file:

- Translation units
- Context information (bilingual files contain a sequence of translation units that is used for creating context matches in the translation memory based on this sequence)

NOTE If you are importing data from SDL Trados 2007 and SDLX 2007, it is often better to import bilingual files instead of TMX files so that you can import the information needed to create context matches.

Importing alignment result files (*.sdlalign)

*.Sdlalign files are alignment result files that contain translation units generated after aligning the source with the target file of an existing translation. When you import *.sdlalign data, you can tell Studio to triage only the translation units that meet a certain quality value threshold. You can also add custom field values to the imported translation units and specify other TM import options.

Importing a sample bilingual file


Assume a customer has asked you to prepare a translation memory for a project. The project is an update to previously translated documents. They do not have a translation memory from the project but they do have the bilingual translated files. Import the data into your sample translation memory so that the content can be leveraged for translating the updated documents.

1. Open the *Sample EN-DE.sdltm* translation memory.



...Documents\Studio 2015\Translation Memories\Sample EN-DE.sdltm (This is the sample translation memory you created in an earlier exercise.)

2. Right-click on the *Sample EN-DE* translation memory in the navigation tree and select **Import** from the shortcut menu. The **Import** wizard is displayed on the **Import Files** page.




3. Click **Add Files** and select the *SecondSample.doc.sdlxliff*.



...Documents\Studio 2015\Projects\Samples\Sample Project\de-DE\SecondSample.doc.sdlxliff.

4. Click **Next**. The **Bilingual Document Import Options** page is displayed.




This page identifies the segments you want to import by their confirmation level (status). The currently selected statuses indicate that the imported translations must have one of these statuses.

- **Translated** – This translation has been confirmed as complete.
- **Translation approved** – The translation has been approved by the reviewer.
- **Signed off** – The translation has been signed off. This is another level of approval by a reviewer.


5. Accept the defaults on this page and click **Next**.

The **General Import Options** page is displayed.




6. Add a field value that indicates that the imported translation units are for the Road Safety project. The value will be assigned to all imported translation units.

- Click **Edit**. The **Field Values** box is displayed. The *Project* field and *Output Type* field that you created earlier are listed.



- Enter *Road Safety* in box next to *Project* in the **Value** column.
- Click **OK** to close the **Field Values** dialog box and display again the **General Import Options** page.

- Click **Finish**. The **Importing** page is displayed.



This page displays each file being imported and indicates the status of each import. When the import has finished, the items on this page are listed as **Complete**. The results of the import indicate:

- **Read 43:** This indicates that 43 segments were read in the bilingual file during the import.
- **Imported 4:** This indicates that out of the 43 translation units that were read, only 4 of them were imported. This is because only 4 of the translations have a status of Translated, Translation Approved or Signed off.
- **Errors 0:** This indicates that there were no errors during the import.

NOTE If you have modified the sample file that you imported, your results may be different to these.


- When the import is complete, the **Close** button becomes available. Click **Close** to close the wizard.

The results of the import are displayed in the TM side-by-side editor. Even though 4 translation units were imported, only 3 appear in the translation memory. This is because 2 of the imported translation units had the exact same source text and translation. Therefore, they were merged into 1 translation unit.

End of Quick Start Guide

Now you know how to create and manage your translation memories in SDL Trados Studio. For additional information about translation memories in SDL Trados Studio, see:

- **SDL Trados Studio Help** - This provides additional information about translation memories. You can access this help system by selecting **Help Topics** from the **Online Help** group on the **Help** tab in the SDL Trados Studio application.
- **SDL Trados Studio Migration Guide** - This provides information about converting or upgrading existing translation resources from SDL Trados 2007 and SDLX so that you can work with them in SDL Trados Studio. You can access this guide from the **Start** menu under **Programs > SDL > SDL Trados Studio 2015 > Documentation**.
- *SDL GroupShare Installation Guide* – This provides information about upgrading server-based translation memories from SDL TM Server 2009 to SDL TM Server 2014.
- *SDL GroupShare Help* – This provides information on how to manage your server-based translation memories in TM Server. You can access this help system by clicking **Help** from the SDL GroupShare application.



Learn more at SDL.com.
Follow SDL on [Facebook](#) and [Twitter](#).

SDL (LSE: SDL) is the leader in global customer experience. With a completely integrated cloud solution for content management, analytics, language and documentation, SDL solves the complexity of managing your brand's digital footprint as it grows across multiple languages, cultures, websites, devices and channels. Seventy-nine of the top 100 global companies trust SDL to help them create authentic, in-context customer experiences that drive demand and loyalty. SDL brings your brand to the world, and the world to your brand.

Copyright © 2016 SDL plc. All Rights Reserved. All company product or service names referenced herein are properties of their respective owners.